
1 2	3 4	5 6 7 8	
		RECOMMENDATION FOR SOLDER PROCESSING	
harting har-flex straight male conn	ector RoHS compliant		
Compliant V		Solder paste recommendation  The har-flex connectors are solderable with established lead-free SAC / SnNi solder but also leaded solder e.g. SnPb-	
GENERAL INFORMATIONS	· · · · · · · · · · · · · · · · · · ·		
	from C to 100 poles all even numbers	PCB pad plating  The best flow as a section and best flow and surfaces like HAL NiAu Insurance Co.	
No. of contacts	from 6 to 100poles, all even numbers  1,27mm x 1,27mm [0,050"x0,050"]	The har-flex connectors are solderable on lead-free pad surfaces like HAL, NiAu, Immersion Sn.	
Contact spacing Test Voltage	500V	Stencil recommendation	
Contact resistance	< 25 mOhm	The solder deposition has to be placed on the pad area of the contact solder tines.	
Insulation resistance	≥ 10x10^9Ω	Ideally, the solder deposition has the same length-to-width ratio and center point like the PCB pads.  The size of the solder stencil apertures is depending on the thickness of the stencil.  In general, the thinner stencils will need larger apertures to result in the required volume of solder paste.  The minimum required solder paste volume for the signal pins is 0,094mm³, for the hold down it is 0,33mm³.	
Working current acc. to IEC 60512, at 70°C, 80% derating	see derating diagram		
Working temperature range	-55°C +125°C		
Termination technology	SMT	For example, this can be achieved with the following stencil data :	
Reflow processing temperature	min. 150s >217°C	Signal pins	
(acc. to ECA/IPC/JEDEC J-STD-075 Level PSL R0)	min. 30s>240°C	Stencil thickness PCB pad size proposal stencil aperture size calculated solder paste volume	
Clearance & creepage distance	0.4mm min.	120 μm 1,1 x 0,8 mm 1,05 x 0,75 mm 0,095 mm³	
Insertion force (depending on mating connector)	approximately 0,5N/contact	150 μm 1,1 x 0,8 mm 0,99 x 0,72 mm 0,107 mm³	
Withdrawal force (depending on mating connector)	approximately 0,5N/contact	Hold-downs	
Mating cycles	PL1 : 500 mating cycles PL2 : 250 mating cycles	Stencil thickness   PCB pad size   proposal stencil aperture size   calculated solder paste volume	
RoHS - compliant	Yes	120 μm 2,5 x 1,2 mm 2,45 x 1,15 mm 0,338 mm³	
Leadfree	Yes	150 μm 2,5 x 1,2 mm 2,25 x 1,08 mm 0,365 mm³	
Working voltage acc. to to IEC 60664-1	100V / 150V (depending on installation category)	If a stencil with lower thickness shall be used, please insure the minimum required solder paste volume by enlarging the	
UL file acc. UL 1977	ECBT2.E102079	stencil aperture. Depending on the PCB design, the solder depostion may protrude the PCB pads. But to achieve a go	
UL file acc. CSA-C22.2 (for Canada)	ECBT8.E102079	sealing during solder paste printing and to reduce the cleaning interval of the stencil, the aperture should be smaller than the PCB pad about 10% or 25µm encircliing.	
PSL level acc. ECA/IPC/JEDEC J-STD-075	PSL R0		
MSL level acc. ECA/IPC/JEDEC J-STD-020D	MSL 1	Coplanarity of contacts  All connectors are tested for contagainty of contacts and are in the range of 6 pin to 80 pin to 0.1mm	
NSULATOR MATERIAL		All connectors are tested for coplanarity of contacts and are in the range of 6 pin to 80 pin: ≤ 0.15mm  82 pin to 100 pin: ≤ 0.15mm	
		Performance level	
Material	LCP (liquid crystalline polymer)	Performance level 1 (recommended for majority of applications)	
Color	Black	Initial 250 mating cycles, 10 days gas test (25°C / 75% r.h.) using H2S 10 ppb, NO2 200 ppb, CL2 10 ppb, SO2 200 pp	
UL classification	UL94-V0	Measurement of contact resistance. The remaining 250 mating cycles are subject to measurement of contact resistance	
Material group acc. IEC 60664-1	IIIa (175 ≤ CTI < 400)	and visual inspection.  Visual inspection. No abrasion of the contact finish through to the base material. No functional impairment.	
CONTACT MATERIAL		Part number definition: 15 2	
Contact material	Copper alloy		
Plating termination zone	Sn	Performance level 2 Initial 125 mating cycles, 4 days gas test (25°C / 75% r.h.) using H2S 10 ppb, NO2 200 ppb, CL2 10 ppb, SO2 200 ppb	
Plating contact sliding side	Au over PdNi (acc. to Performance level)	Measurement of contact resistance. The remaining 125 mating cycles are subject to measurement of contact resistance.	
DERATING DIAGRAM acc. to IEC 60512-5 (Current carrying capac	itv)	and visual inspection.	
	<u> </u>	Visual inspection. No abrasion of the contact finish through to the base material. No functional impairment.  Part number definition: 15 6	
The current carrying capacity is limited by maximum temperature of materials for inserts and contacts including terminals.  The current capacity curve is valid for continuous, non	3	Performance level S4 Defined contact surface of min. 0,06 µm Au over 0,7+0,2µm PdNi Part number definition: 15 5	
THE DUILDIN GENERALLY CARVE IS VEHICLED LANDING IN A	—:: spat	All Dimensions in mm Scale Free size tol.	
interrupted current loaded contacts of connectors when simultaneous power on all contacts is given, without exceeding the maximum temperature.	Ctrical	Original Size DIN A3 1:1 Sub.  All rights reserved Created by Inspected by Standardisation Date State	
interrupted current loaded contacts of connectors when simultaneous power on all contacts is given, without exceeding the maximum temperature.  Control and test procedures according to DIN IEC 60512-5	I Electri	All rights reserved ZHUANGJ LUOK HOFFMANN Date State Final Release	
interrupted current loaded contacts of connectors when simultaneous power on all contacts is given, without exceeding the maximum temperature.		All rights reserved  Created by Inspected by Standardisation Date State  THILANG! HILDER HOFEMANN 2016 06 20 Final Polesce	



## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

## **HARTING:**

<u>15110402601000</u> <u>15120122401000</u> <u>15120262401000</u> <u>15120202401000</u> <u>15120682401000</u> <u>15120162401000</u> <u>15120062401000</u> <u>15120322401000</u> <u>15120802401000</u> <u>15110162401000</u> <u>15110062401000</u> <u>15110682401000</u> 15110322401000 15110122401000 15110262401000 15110202401000 15110502401000